

1 ATEX CAT 3 Conformity Certificate

2 Equipment intended for use in Potentially Explosive Atmospheres Directive 2014/34/EU

3 Certificate Number: **CEN 25ATEX0002X** Issue: **0**

4 Equipment: **DCx13-3**

5 Manufacturer: **RINO Technologies Limited**

6 Address: **Unit 14 Manor Court
Eastfield, Scarborough.
YO11 3TU**

7 This equipment and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.

8 CENEGEX Compliance Limited states that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment intended for use in potentially explosive atmospheres given in Annex II of the Directive 2014/34/EU with reference to the requirements covered by the standards below.
The technical documentation, examination details and test results are recorded in confidential report number:

CEN-AR1002 dated 1/07/2025

9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with the following standards:

**EN IEC 60079-0:2018, EN IEC 60079-15:2011, EN IEC 60079-7:2015+A1:2018,
EN 60079-31:2014**

10 If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the schedule to this certificate.

11 This ATEX CAT 3 Conformity Certificate relates only to the design of the specified product and not to specific items of equipment subsequently manufactured.

12 The marking of the product shall include the following:

 **II 3 G Ex nR IIC T6 Gc T_{amb} -20°C to +50°C
II 3 D Ex tc IIIC T85°C Dc T_{amb} -20°C to +50°C**

Responsible person:

Date of issue: 01.07.2025



Tony Holliday
Director

Schedule

13 Description of Equipment

The iCORDEX DCx13-3 is an Android based 13 Mega pixel digital camera housed within a Ex nR/Ex tc enclosure. The rear of the camera has a touch screen with power and shoot buttons at the top of the housing.

The camera has a silicone jacket to provide drop and impact protection.

14 Special Conditions for Safe Use:

- The battery is not user replaceable.
- The USB port shall only be used in the safe area.
- Do not recharge in the hazardous area.
- The equipment must only be used in areas where there is a low risk of mechanical damage.

15 Routine tests

- The manufacturer shall conduct a routine test on each enclosure in accordance with one of the procedures detailed in clause 12.2.2.1.1 of EN IEC 60079-15:2019.