

ATEX / IECEx certified for **Zone 2 / 22****Universal** UniCase certified enclosure**Apple iPad Pro (M4), 11-inch platform**Storage options: **256 GB / 512 GB / 1 TB / 2 TB****Full access** to buttons, cameras, audio and USB-C**Impact-resistant** enclosure and screenModular inlay system, **upgrade-ready**

## iPad Pro (M4, 2025)




The Ex UniCase iPad Pro (M4) is a certified tablet solution designed for use in ATEX and IECEx Zone 2 and Zone 22 hazardous areas. It combines Apple's M-series iPad Pro platform with a robust, explosion-protected enclosure suitable for industrial environments.

The UniCase housing provides mechanical protection without limiting functionality. All buttons, cameras, microphones, speakers, and the USB-C port remain fully accessible, allowing uninterrupted use in inspection, documentation, and control applications.

The system complies with Directive 2014/34/EU and relevant ATEX and IECEx standards. The modular UniCase design allows the tablet to be replaced or upgraded independently of the certified enclosure, extending product lifecycle and reducing long-term costs.

<b>Explosion Safety Specifications – ATEX and IECEx</b>	
<b>ATEX Zones</b>	Zone 2 (Gas) and Zone 22 (Dust)
<b>EU Directive</b>	2014/34/EU (ATEX 114)
<b>ATEX Marking – Gas</b>	Revealed soon
<b>ATEX Marking – Dust</b>	Revealed soon
<b>IECEx Certificate</b>	Revealed soon
<b>IECEx Marking – Gas</b>	Revealed soon
<b>IECEx Marking – Dust</b>	Revealed soon
<b>Applied ATEX Standards</b>	Revealed soon





- (1)** Transparent Plexiglas back cover providing external protection.
- (2)** 3 mm silicone rubber O-ring ensuring sealing between back cover and enclosure.
- (3)** Device specific, modular ABS corner inlays for tablet positioning.
- (4)** Impact-resistant polycarbonate display window protecting the touchscreen.
- (5)** Main UniCase enclosure manufactured from ESD-safe POM-C.
  
- (a)** Button interface corner inlay enabling mechanical operation of the tablet buttons.
- (b)** Physical tablet buttons, fully operable through the UniCase interface.
- (c)** USB-C port sealing cover protecting the charging port during operation.